


DESCRIPTION

ISOLATEK HW-PIN is a grade 316 stainless steel helical weld pin designed for use in industrial environments. As an integral component to the passive fireproofing system, the ISOLATEK HW-PIN effectively secures the ISOLATEK-CGH-MESH to the steel substrate. Pins are easily installed to steel structures via a capacitor discharge (CD) weld gun. The unique pigtail design allows the quick wrap of the mesh around the pin without the need for mechanical tools such as pliers.

ADVANTAGES

- Grade 316 stainless steel composition - optimum for corrosion resistance
- Unique pigtail design – increases productivity enabling quick mesh attachment



Refer to the Technical Data chart below for dimensions.

Technical Data	
Material	Grade 316 Stainless steel
Dimensions	A = 2.2 mm B = 5.0 mm C = 3.0 mm D = 0.75 mm E = 11.00 mm

Packaging/Storage	
Packaging	1,000 pins per bag
Net Weight	2.6 lbs (1.2 kg)
Storage	Dry – off the ground
Shelf Life	No limit



ISOLATEK INTERNATIONAL is registered with the
AIA Continuing Education System (AIA/CES)



We support our customers with unsurpassed technical expertise and customer service, complemented by an extensive global network of experienced sales representatives and recognized applicators. For detailed product information or for the name of the sales representative in your area please contact us.

The performance data herein reflect our expectations based on tests conducted in accordance with recognized standard methods under controlled conditions. The applicator, general contractor, property owner and/or user MUST read, understand and follow the directions, specifications and/or recommendations set forth in Isolatek International's publications concerning use and application of these products, and should not rely merely on the information contained in this Technical Data Sheet. Isolatek International is not responsible for property damage, bodily injuries, consequential damages, or losses of any kind that arise from or are related to the applicator's general contractor's, or property owner's failure to follow the recommendations set forth in Isolatek International's publications. The sale of these products shall be subject to the Terms and Conditions set forth in the Company's invoices.



Brand

Isolatek International provides passive fireproofing materials under the CAFCO® and FENDOLITE® trademarks throughout the Americas and under the ISOLATEK® trademark throughout the world.

800.631.9600 or 973.347.1200
www.isolatek.com | technical@isolatek.com
technical-international@isolatek.com

