

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : ISOLATEK® Type 300

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Spray-Applied Fire Resistive Materials

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier:

Isolatek International (Europe) Ltd.
17 Wellington Street
Ripley, Derbyshire
DE5 3EH

Manufacturer:

United States Mineral Products Company dba Isolatek International
41 Furnace Street
Stanhope NJ 07874

Toll Free: 1 800 631 9600

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 (North America), +1 703 527 3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

other hazards which do not result in classification : This product may contain trace amounts of crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Seek medical attention if irritation develops.
First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if irritation develops.
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use. Dust may cause mechanical irritation.
Symptoms/effects after eye contact	: May cause slight temporary irritation. Dust may cause mechanical irritation.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: None known.
-------------	---------------

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protective equipment for firefighters	: Do not attempt to take action without suitable protective equipment. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all unnecessary exposure. Avoid creating or spreading dust.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Strong acids. Keep container closed when not in use. Store locked up.
Incompatible materials	: Strong acids.

7.3. Specific end use(s)

See Heading 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Plaster of Paris (26499-65-0)	
Croatia - Occupational Exposure Limits	
Local name	Prašina žbuke

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Plaster of Paris (26499-65-0)	
GVI (granična vrijednost izloženosti) (mg/m ³)	4 mg/m ³ (respirable dust) 10 mg/m ³ (total dust, inhalable particles)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)
Ireland - Occupational Exposure Limits	
Local name	Plaster of Paris
OEL (8 hours ref) (mg/m ³)	10 mg/m ³ (total inhalable dust) 4 mg/m ³ (respirable dust)
OEL (15 min ref) (mg/m ³)	30 mg/m ³ (calculated-respirable dust) 12 mg/m ³ (calculated)
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom - Occupational Exposure Limits	
Local name	Plaster of Paris
WEL TWA (mg/m ³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)
WEL STEL (mg/m ³)	30 mg/m ³ (calculated-inhalable dust) 12 mg/m ³ (calculated-respirable dust)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Limestone (1317-65-3)	
Belgium - Occupational Exposure Limits	
Local name	Calcium (carbonate de) # Calciumcarbonaat
Limit value (mg/m ³)	10 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018
Bulgaria - Occupational Exposure Limits	
Local name	Калциев карбонат
OEL TWA (mg/m ³)	1 fibers/cm ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-respirable fraction, fibers) 10 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-inhalable fraction)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.)
Croatia - Occupational Exposure Limits	
Local name	Kalcijev karbonat
GVI (granična vrijednost izloženosti) (mg/m ³)	4 mg/m ³ (respirable dust) 10 mg/m ³ (total dust, inhalable particles)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m ³)	10 mg/m ³ (dust)
Estonia - Occupational Exposure Limits	
Local name	Kaltsiumkarbonaat
OEL TWA (mg/m ³)	10 mg/m ³ 5 mg/m ³ (respirable dust)
Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5)
Greece - Occupational Exposure Limits	
Local name	Μάρμαρο (ανθρακικό ασβέστιο)
OEL TWA (mg/m ³)	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Regulatory reference	Π.Δ. 90/1999

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limestone (1317-65-3)	
Hungary - Occupational Exposure Limits	
Local name	KALCIUM-KARBONÁT
AK-érték	10 mg/m ³
Regulatory reference	25/2000. (IX. 30.) EüM–SZCSM együttes rendelet a munkahelyek kémiai biztonságáról
Ireland - Occupational Exposure Limits	
Local name	Calcium carbonate
OEL (8 hours ref) (mg/m ³)	10 mg/m ³ (respirable dust) 4 mg/m ³
OEL (15 min ref) (mg/m ³)	30 mg/m ³ (calculated) 12 mg/m ³ (calculated-total inhalable dust)
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
Romania - Occupational Exposure Limits	
OEL TWA (mg/m ³)	10 mg/m ³ (Quartz <=1%-dust, inhalable fraction)
United Kingdom - Occupational Exposure Limits	
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (mg/m ³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)
WEL STEL (mg/m ³)	30 mg/m ³ (calculated-inhalable dust) 12 mg/m ³ (calculated-respirable dust)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Vermiculite (1318-00-9)	
Austria - Occupational Exposure Limits	
MAK (mg/m ³)	5 mg/m ³ (inhalable fraction)
MAK Short time value (mg/m ³)	10 mg/m ³ (inhalable fraction)
Bulgaria - Occupational Exposure Limits	
Local name	Вермикулит, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция влакнести частици (респирабилни)
OEL TWA (mg/m ³)	1 fibers/cm ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-respirable fraction, fibers) 5 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-inhalable fraction)
OEL TWA (ppm)	1 fibers/cm ³ (Влакна - респирабилна фракция)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.)
Bentonite (1302-78-9)	
Bulgaria - Occupational Exposure Limits	
Local name	Бентонит, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция
OEL TWA (mg/m ³)	3 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fraction-respirable fraction) 6 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fraction-inhalable fraction)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.)
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m ³)	6 mg/m ³ (dust)
Slovakia - Occupational Exposure Limits	
NPHV (priemerná) (mg/m ³)	6 mg/m ³ (total aerosol)

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cellulose (9004-34-6)	
Austria - Occupational Exposure Limits	
MAK (mg/m ³)	5 mg/m ³ PAPIER (LEICHTSTAUB VON), EINATEMBARE FRAKTION
OEL - Ceilings (mg/m ³)	10 mg/m ³ PAPIER (LEICHTSTAUB VON), EINATEMBARE FRAKTION
Belgium - Occupational Exposure Limits	
Local name	Cellulose # Cellulose
Limit value (mg/m ³)	10 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018
Croatia - Occupational Exposure Limits	
Local name	Celuloza
GVI (granična vrijednost izloženosti) (mg/m ³)	10 mg/m ³ (total dust, inhalable particles) 4 mg/m ³ (respirable dust)
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	20 mg/m ³ (total dust, inhalable particles)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m ³)	6 mg/m ³ Jiné prachy s dráždivým účinkem: prach papíru
Denmark - Occupational Exposure Limits	
Grænseværdie (langvarig) (mg/m ³)	3 mg/m ³ ORGANISK STØV, TOTAL
Estonia - Occupational Exposure Limits	
Local name	Tselluloos (peentolm)
OEL TWA (mg/m ³)	10 mg/m ³ (respirable dust)
Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5)
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m ³)	5 mg/m ³ Selluloosapöly
OEL Ceiling (mg/m ³)	10 mg/m ³ Selluloosapöly
France - Occupational Exposure Limits	
Local name	Cellulose (fibre de papier)
VME (mg/m ³)	10 mg/m ³
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Ireland - Occupational Exposure Limits	
Local name	Cellulose
OEL (8 hours ref) (mg/m ³)	10 mg/m ³
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018 Code of Practice for the Chemical Agents Regulations 2018
Latvia - Occupational Exposure Limits	
Local name	Celuloze
OEL TWA (mg/m ³)	2 mg/m ³
Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania - Occupational Exposure Limits	
Local name	Popieriaus Dulkės
IPRV (mg/m ³)	2 mg/m ³
Portugal - Occupational Exposure Limits	
Local name	Celulose

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cellulose (9004-34-6)	
OEL TWA (mg/m ³)	10 mg/m ³
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Celuloză
OEL TWA (mg/m ³)	10 mg/m ³ (dust, inhalable fraction)
Regulatory reference	Hotărârea nr. 1218/2006
Spain - Occupational Exposure Limits	
Local name	Celulosa
VLA-ED (mg/m ³)	10 mg/m ³
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
United Kingdom - Occupational Exposure Limits	
Local name	Cellulose
WEL TWA (mg/m ³)	10 mg/m ³ inhalable dust 4 mg/m ³ respirable
WEL STEL (mg/m ³)	20 mg/m ³ inhalable dust
Regulatory reference	EH40/2005 (Third edition, 2018). HSE
USA - ACGIH - Occupational Exposure Limits	
Local name	Cellulose
ACGIH TWA (mg/m ³)	10 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr
Regulatory reference	ACGIH 2019
Disodium octaborate, tetrahydrate (12280-03-4)	
Slovenia - Occupational Exposure Limits	
OEL chemical category (SL)	Category 1B
Iron oxide (Fe₃O₄) (1317-61-9)	
Poland - Occupational Exposure Limits	
Local name	Tetratlenek triżelaza
NDS (mg/m ³)	5 mg/m ³ w przeliczeniu na Fe: frakcja wdychalna 2.5 mg/m ³ w przeliczeniu na Fe: frakcja respirabilna
NDSCh (mg/m ³)	10 mg/m ³ w przeliczeniu na Fe: frakcja wdychalna 5 mg/m ³ w przeliczeniu na Fe: frakcja respirabilna
Remark (PL)	Frakcja wdychalna – frakcja aerozolu wnikaćca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikaćca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.
Regulatory reference	Dz. U. 2018 poz. 1286

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. Insufficient ventilation: wear respiratory protection.

Hand protection:

Impermeable protective gloves. EN 374

Eye protection:

Chemical goggles or safety glasses. EN 166

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Where excessive dust may result, wear approved mask

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: Light grey. Yellow-brown. light green.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: 8 - 10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 981 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	:

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Strong acids.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 - 10
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 - 10
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: This material has not been tested for environmental effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

ISOLATEK® Type 300

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

ISOLATEK® Type 300

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information	: Avoid release to the environment.
------------------------	-------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Disodium octaborate (EC 234-541-0;602-894-3, CAS 12280-03-4)

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

WGK remark : Most stringent classification due to insufficient data

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

ISOLATEK® Type 300

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
3	Composition/information on ingredients	Modified	
4	First aid measures	Modified	
7	Precautions for safe handling	Modified	
8	Exposure controls / Personal protection equipment	Modified	
11	Toxicological information	Modified	
12	Ecological information	Modified	
15	Regulatory information	Modified	
16	Other information	Modified	

Other information : None.

Full text of H- and EUH-statements:	
EUH210	Safety data sheet available on request.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.