

**SECTION 1: Identification**
**1.1. Identification**

Product form : Mixture  
 Trade name : CAFCO FIBER-PATCH

**1.2. Recommended use and restrictions on use**

Use of the substance/mixture : Fire resistive material repair  
 Recommended use : For professional use only

**1.3. Supplier**

Manufacturer:  
 United States Mineral Products Company dba Isolatek International  
 41 Furnace Street  
 Stanhope NJ 07874  
 Toll Free: 1 800 631 9600

**1.4. Emergency telephone number**

Emergency number : CHEMTREC 1 800 424 9300 (North America), +1 703 527 3887 (International)

**SECTION 2: Hazard(s) identification**
**2.1. Classification of the substance or mixture**
**GHS US classification**

Skin corrosion/irritation Category 1	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Skin sensitization, Category 1	May cause an allergic skin reaction

**2.2. GHS Label elements, including precautionary statements**
**GHS US labeling**

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns and eye damage  
 May cause an allergic skin reaction  
 Causes serious eye damage

Precautionary statements (GHS US) : Do not breathe dust.  
 Wash hands thoroughly after handling.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear eye protection, protective gloves, protective clothing, respiratory protection.  
 If swallowed: rinse mouth. Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a poison center or doctor.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Cement, portland, chemicals	CAS-No.: 65997-15-1	10 - 30	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335

\*Chemical name, CAS number and/or exact concentration have been withheld as confidential business information

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists. Seek medical attention if ill effect or irritation develops.  
First-aid measures after skin contact : Wash off immediately and plentifully with water for at least 20 minutes. Remove/Take off immediately all contaminated clothing. Call a physician immediately.  
First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.  
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Causes severe burns to the respiratory system. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.  
Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : None known.

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **5.2. Specific hazards arising from the chemical**

- Fire hazard : The product is not flammable.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : No hazardous decomposition products known

### **5.3. Special protective equipment and precautions for fire-fighters**

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

- General measures : Do not breathe dust. Avoid contact with skin, eyes and clothing. Provide adequate ventilation to minimize dust concentrations.

#### **6.1.1. For non-emergency personnel**

- Protective equipment : Wear personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : No special requirements

#### **6.1.2. For emergency responders**

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Ventilate spillage area. Avoid dust production. Do not allow to enter drains or water courses.

### **6.2. Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### **6.3. Methods and material for containment and cleaning up**

- For containment : Contain and collect as any solid.  
Methods for cleaning up : Mechanically recover the product. Avoid raising powdered materials into airborne dust. Sweep up or vacuum up the product. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

### **6.4. Reference to other sections**

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

- Additional hazards when processed : Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution.  
Precautions for safe handling : Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust.  
Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### **7.2. Conditions for safe storage, including any incompatibilities**

- Technical measures : Provide adequate ventilation to minimize dust concentrations.  
Storage conditions : Store locked up. Store in a dry, cool and well-ventilated place.  
Incompatible materials : Strong acids. Strong oxidizers.

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

CAFCO FIBER-PATCH	
No additional information available	
Cement, portland, chemicals (65997-15-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Portland cement
ACGIH OEL TWA	10 mg/m <sup>3</sup>
Remark (ACGIH)	(particulate matter containing no asbestos and <1% crystalline silica)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Portland cement
OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)
OSHA PEL (TWA) [2]	50 ppm
Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1 and OSHA Annotated Table Z-3 Mineral Dusts
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure
- Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Safety glasses. Gloves. Dustproof clothing. Respiratory protection. Dust/aerosol mask with filter type P1.

##### Hand protection:

Chemically resistant protective gloves

##### Eye protection:

Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product

##### Skin and body protection:

Long sleeved protective clothing

##### Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapor under TLV. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):



### Other information:

Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granular powder.
Color	: Light gray
Odor	: Odorless
Odor threshold	: No data available
pH	: 9 – 12
Melting point	: > 981 °C (1800 °F)
Freezing point	: > 981 °C (1800 °F)
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: > 1
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution.

### 10.4. Conditions to avoid

Avoid raising powdered materials into airborne dust.

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Strong acids. Strong oxidizers.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Causes severe skin burns. pH: 9 – 12
Serious eye damage/irritation	: Causes serious eye damage. pH: 9 – 12
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

### **Cement, portland, chemicals (65997-15-1)**

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: Not applicable
Symptoms/effects after inhalation	: Causes severe burns to the respiratory system. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

In accordance with Department of Transport / Transportation of Dangerous Goods / IMDG / IATA

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

##### WARNING:

This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# CAFCO® FIBER-PATCH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

Revision date : 07 April 2021

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.