

**SECTION 1: Identification**
**1.1. GHS Product identifier**

Product form : Mixture  
 Trade name : ISOLATEK Type TG

**1.2. Other means of identification**

No additional information available

**1.3. Recommended use of the chemical and restrictions on use**

Use of the substance/mixture : For professional use only. Spray-Applied Fire Resistive Materials.

**1.4. SDS Supplier's details**

Manufacturer:  
 United States Mineral Products Company dba Isolatek International  
 41 Furnace Street  
 Stanhope NJ 07874  
 Toll Free: 1 800 631 9600

**1.5. Emergency phone number**

Emergency number : CHEMTREC 1 800 424 9300 (North America), +1 703 527 3887 (International)

**SECTION 2: Hazard identification**
**2.1. Classification of the substance or mixture**
**Classification according to the United Nations GHS**

Skin corrosion/irritation, Category 2	H315	Calculation method
Serious eye damage/eye irritation, Category 1	H318	Calculation method
Skin sensitisation, Category 1	H317	Calculation method
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	Calculation method

Full text of H statements : see section 16

**2.2. GHS Label elements, including precautionary statements**
**Labelling according to the United Nations GHS**

Hazard pictograms (GHS UN) :



Signal word (GHS UN) : Danger

Hazardous ingredients : Cement, portland, chemicals

Hazard statements (GHS UN) : H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H335 - May cause respiratory irritation

Precautionary statements (GHS UN) : P261 - Avoid breathing dust.  
 P264 - Wash hands thoroughly after handling.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P272 - Contaminated work clothing should not be allowed out of the workplace.  
 P280 - Wear eye protection, protective gloves, protective clothing.  
 P302+P352 - IF ON SKIN: Wash with plenty of water.  
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call a POISON CENTER, a doctor.  
 P312 - Call a POISON CENTER, a doctor if you feel unwell.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 - Take off contaminated clothing and wash it before reuse.  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
 P405 - Store locked up.  
 P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**2.3. Other hazards which do not result in classification**

Other hazards not contributing to the classification : This product may contain trace amounts of crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness

# ISOLATEK® Type TG

## Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Cement, portland, chemicals	(CAS-No.) 65997-15-1	35 - 55	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335

Full text of H-statements: see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of necessary first-aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : Immediately rinse with plenty of water (for at least 15 minutes). Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms/effects, acute and delayed

- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Presents no particular fire or explosion hazard.
- Explosion hazard : No hazard identified.
- Hazardous decomposition products in case of fire : Thermal decomposition may produce : Nitrogen oxides. Carbon oxides (CO, CO<sub>2</sub>).

#### 5.3. Special protective actions for fire-fighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protective equipment for firefighters : Do not attempt to take action without suitable protective equipment. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid breathing dust. Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# ISOLATEK® Type TG

## Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and materials for containment and cleaning up**

- For containment : Contain and collect as any solid.
- Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.
- Other information : Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust. Wear personal protective equipment. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures.

### **7.2. Conditions for safe storage, including any incompatibilities**

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Strong acids. Keep container closed when not in use. Store locked up. Protect from moisture.
- Incompatible materials : Strong acids.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

#### **Cement, portland, chemicals (65997-15-1)**

#### **USA - ACGIH - Occupational Exposure Limits**

Local name	Portland cement
ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Remark (ACGIH)	(particulate matter containing no asbestos and <1% crystalline silica)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2020

### **8.2. Appropriate engineering controls**

- Appropriate engineering controls : Ensure good ventilation of the work station.

### **8.3. Individual protection measures, such as personal protective equipment (PPE)**

- Hand protection : Impermeable protective nitrile gloves
- Eye protection : Chemical goggles or safety glasses
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Where excessive dust may result, wear approved mask

Personal protective equipment symbol(s)



### **8.4. Exposure limit values for the other components**

No additional information available

## **SECTION 9: Physical and chemical properties**

### **9.1. Basic physical and chemical properties**

- Physical state : Solid
- Appearance : Powder. Flakes
- Colour : Grey. Gold.
- Odour : Slight.

# ISOLATEK® Type TG

## Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Odour threshold	: Not available
Melting point	: > 981 °C (1800 °F)
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Not flammable
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not applicable
pH solution	: 12
Viscosity, kinematic (calculated value) (40 °C)	: Not applicable
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Solubility	: Not available
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

### **9.2. Data relevant with regard to physical hazard classes (supplemental)**

No additional information available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

The product is stable at normal handling and storage conditions.

### **10.3. Possibility of hazardous reactions**

None under normal conditions.

### **10.4. Conditions to avoid**

Strong acids.

### **10.5. Incompatible materials**

Strong acids.

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Causes skin irritation. pH: 12
Serious eye damage/irritation	: Causes serious eye damage. pH: 12
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)

# ISOLATEK® Type TG

## Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: This material has not been tested for environmental effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

#### 12.2. Persistence and degradability

ISOLATEK Type TG	
Persistence and degradability	No additional information available

#### 12.3. Bioaccumulative potential

ISOLATEK Type TG	
Bioaccumulative potential	No additional information available

#### 12.4. Mobility in soil

ISOLATEK Type TG	
Mobility in soil	No additional information available

#### 12.5. Other adverse effects

Ozone	: Not classified (Based on available data, the classification criteria are not met)
Other adverse effects	: Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

### SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

UN RTDG	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. UN Proper Shipping Name</b>		
Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable

# ISOLATEK® Type TG

## Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

### 14.6. Special precautions for user

**- UN RTDG**

No data available

**- IMDG**

No data available

**- IATA**

No data available

### 14.7. Transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

## SECTION 16: Other information

Issue date : 08 January 2021

Full text of H-statements:	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H372	Causes damage to organs through prolonged or repeated exposure

SDS UN

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*