

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : CAFCO BLAZE-SHIELD II
 CAFCO BLAZE-SHIELD II WHITE
 CAFCO BLAZE-SHIELD II CHARCOAL

 CAFCO BLAZE-SHIELD II HS

 CAFCO BLAZE-SHIELD HP
 CAFCO BLAZE-SHIELD HP WHITE
 CAFCO BLAZE-SHIELD HP CHARCOAL

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For professional use only
 Building materials

1.3. Supplier

Manufacturer:
 United States Mineral Products Company dba Isolatek International
 41 Furnace Street
 Stanhope NJ 07874
 Toll Free: 1 800 631 9600

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 (North America)

SECTION 2: Hazard(s) identification


2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 1	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Skin sensitization, Category 1	May cause an allergic skin reaction
Carcinogenicity Category 1A	May cause cancer (Inhalation)
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	May cause respiratory irritation

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns and eye damage
 May cause an allergic skin reaction
 Causes serious eye damage
 May cause respiratory irritation
 May cause cancer (Inhalation)

Precautionary statements (GHS US) : Wear respiratory protection.



CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear eye protection, protective clothing, protective gloves.
If swallowed: rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center or doctor.
Call a poison center or doctor if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Protect from moisture.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution. This product may contain crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Cement, portland, chemicals	CAS-No.: 65997-15-1	15 - 40	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Distillates, petroleum, hydrotreated middle	CAS-No.: 64742-46-7	1 - 5	Acute Tox. 4 (Inhalation:dust,mist), H332 Asp. Tox. 1, H304
Calcium oxide	CAS-No.: 1305-78-8	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Quartz	CAS-No.: 14808-60-7	0.01 - 0.2	Carc. 1A, H350 STOT RE 1, H372

*Chemical name, CAS number and/or exact concentration have been withheld as confidential business information

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after skin contact	: Wash off immediately and plentifully with water for at least 20 minutes. Take off immediately all contaminated clothing. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. If accidentally swallowed obtain immediate medical attention..

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause burns. May cause respiratory irritation. May cause cancer by inhalation. This product may contain crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.
Symptoms/effects after skin contact	: Causes severe skin burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

5.2. Specific hazards arising from the chemical

Fire hazard	: Presents no particular fire or explosion hazard.
Explosion hazard	: No hazard identified.
Hazardous decomposition products in case of fire	: No hazardous decomposition products known.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ventilate spillage area. Avoid creating or spreading dust.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid contact with skin and eyes. Do not breathe dust.

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Stop leak if safe to do so. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Avoid creating or spreading dust.
- Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution
- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Use only outdoors or in a well-ventilated area. Do not breathe dust. Avoid contact with skin and eyes. Wear personal protective equipment. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
- Hygiene measures : Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Provide adequate ventilation to minimize dust concentrations.
- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Incompatible materials : Strong acids and oxidants.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CAFCO BLAZE-SHIELD

No additional information available

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Cement, portland, chemicals (65997-15-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Portland cement
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	(particulate matter containing no asbestos and <1% crystalline silica)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Portland cement
OSHA PEL (TWA) [1]	15 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
OSHA PEL (TWA) [2]	50 ppm
Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1 and OSHA Annotated Table Z-3 Mineral Dusts
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Distillates, petroleum, hydrotreated middle (64742-46-7)	
No additional information available	
Calcium oxide (1305-78-8)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Calcium oxide
ACGIH OEL TWA	2 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Calcium oxide
OSHA PEL (TWA) [1]	5 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	2 mg/m ³
Quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Silica crystalline - quartz
ACGIH OEL TWA	0.025 mg/m ³ (respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH chemical category	Suspected Human Carcinogen

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Quartz (14808-60-7)	
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
OSHA PEL (TWA) [1]	50 µg/m ³ (Respirable crystalline silica)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO ₂ +5)) for mppcf and (10 mg/m ³ / (%SiO ₂ +2)) for mg/m ³ . CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
USA - IDLH - Occupational Exposure Limits	
IDLH	50 mg/m ³ (respirable dust)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	0.05 mg/m ³ (respirable dust)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Safety glasses. Gloves. Dustproof clothing. Respiratory protection. Dust production: dust mask with filter type P1.

Hand protection:

Wear suitable gloves resistant to chemical penetration. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Eye protection:

Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product

Skin and body protection:

Long sleeved protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Where excessive dust may result, wear approved mask. Use a dust filter

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Color : White Gray dark gray

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Odor	: Odorless
Odor threshold	: No data available
pH	: 11.5 – 12.5
Melting point	: 981 °C (1797.8 °F)
Freezing point	: 981 °C (1797.8 °F)
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Dusts from this product, when combined with water or sweat, produce a corrosive alkaline solution.

10.4. Conditions to avoid

Avoid raising powdered materials into airborne dust.

10.5. Incompatible materials

Strong acids and oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Distillates, petroleum, hydrotreated middle (64742-46-7)	
LD50 oral rat	7400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	4.6 mg/l/4h

Calcium oxide (1305-78-8)	
LD50 oral rat	500 mg/kg
LC50 Inhalation - Rat	> 6.04 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns.
pH: 11.5 – 12.5

Serious eye damage/irritation : Causes serious eye damage.
pH: 11.5 – 12.5

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : May cause cancer (Inhalation).
This product may contain crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicity Program (NTP) Status	Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause respiratory irritation.

Cement, portland, chemicals (65997-15-1)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Quartz (14808-60-7)	
STOT-repeated exposure	Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation).

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : May cause burns. May cause respiratory irritation. May cause cancer by inhalation. This product may contain crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

Symptoms/effects after skin contact : Causes severe skin burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Distillates, petroleum, hydrotreated middle (64742-46-7)	
LC50 - Fish [1]	35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])



CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

Calcium oxide (1305-78-8)	
LC50 - Fish [1]	1070 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Calcium oxide (1305-78-8)	
BCF - Fish [1]	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

CAFCO® BLAZE-SHIELD®

Safety Data Sheet

according to US HazCom 2012

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

WARNING:

This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to US HazCom 2012

Revision date : 15 March 2022

Other information : None.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.