

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Trade name : ISOLATEK Type 300

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Spray-Applied Fire Resistive Materials

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier:
USMPC Buyer Inc, dba Isolatek International
41 Furnace Street
Stanhope NJ 07874
Toll Free: 1 800 631 9600
Reach@isolatek.com

EU Manufacturer:
Perlite Italiana Srl
Via Alzaia Trento, 7
20094 Corsico MI
Italy

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 (North America), +1 703 527 3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

other hazards which do not result in classification : This product may contain trace amounts of crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Disodium octaborate, tetrahydrate	CAS-No.: 12280-03-4 EC-No.: 234-541-0;602-894-3 EC Index-No.: 005-020-00-3 REACH-no: 01-2119490860-XX	< 0.3	Repr. 1B, H360FD

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use. Dust may cause mechanical irritation.
Symptoms/effects after eye contact	: May cause slight temporary irritation. Dust may cause mechanical irritation.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: None known.
-------------	---------------

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protective equipment for firefighters	: Do not attempt to take action without suitable protective equipment. Do not enter fire area without proper protective equipment, including respiratory protection.

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure. Avoid creating or spreading dust.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Strong acids. Keep container closed when not in use. Store locked up.

Incompatible materials : Strong acids.

7.3. Specific end use(s)

See Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Plaster of Paris (26499-65-0)	
Croatia - Occupational Exposure Limits	
Local name	Prašina žbuke
GVI (OEL TWA) [1]	4 mg/m ³ (respirable dust) 10 mg/m ³ (total dust, inhalable particles)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Plaster of Paris (26499-65-0)	
Ireland - Occupational Exposure Limits	
Local name	Plaster of Paris
OEL TWA [1]	10 mg/m ³ (total inhalable dust) 4 mg/m ³ (respirable dust)
OEL STEL	30 mg/m ³ (calculated-respirable dust) 12 mg/m ³ (calculated)
Regulatory reference	Chemical Agents Code of Practice 2021
Limestone (1317-65-3)	
Belgium - Occupational Exposure Limits	
Local name	Calcium (carbonate de) # Calciumcarbonaat
OEL TWA	10 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Варовик, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция влакнести частици (респирабилни)
OEL TWA	1 fibers/cm ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-respirable fraction, fibers) 10 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-inhalable fraction)
OEL TWA [ppm]	1 fibers/cm ³ (Влакна - респирабилна фракция)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Czech Republic - Occupational Exposure Limits	
Local name	Vápenec, mramor
PEL (OEL TWA)	10 mg/m ³ (dust)
Remark	Prachy s převážně nespecifickým účinkem.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Estonia - Occupational Exposure Limits	
Local name	Kaltsiumkarbonaat
OEL TWA	10 mg/m ³ 5 mg/m ³ (respirable dust)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
Greece - Occupational Exposure Limits	
Local name	Μάρμαρο (ανθρακικό ασβέστιο)
OEL TWA	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	KALCIUM-KARBONÁT
AK (OEL TWA)	10 mg/m ³
Remark	N (Iritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limestone (1317-65-3)	
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Calcium carbonate [Limestone, Marble]
OEL TWA [1]	10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust
OEL STEL	30 mg/m ³ (calculated) 12 mg/m ³ (calculated-total inhalable dust)
Regulatory reference	Chemical Agents Code of Practice 2021
Romania - Occupational Exposure Limits	
OEL TWA	10 mg/m ³ (Quartz <=1%-dust, inhalable fraction)
Vermiculite (1318-00-9)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	5 mg/m ³ (inhalable fraction)
MAK (OEL STEL)	10 mg/m ³ (inhalable fraction)
Bulgaria - Occupational Exposure Limits	
Local name	Вермикулит, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция влакнести частици (респирабилни)
OEL TWA	1 fibers/cm ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-respirable fraction, fibers) 5 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fibrous particles fraction-inhalable fraction)
OEL TWA [ppm]	1 fibers/cm ³ (Влакна - респирабилна фракция)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Bentonite (1302-78-9)	
Bulgaria - Occupational Exposure Limits	
Local name	Бентонит, съдържащ под 2 % свободен кристален силициев диоксид в респирабилната фракция
OEL TWA	3 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fraction-respirable fraction) 6 mg/m ³ (containing <2% free Crystalline silicon dioxide in respirable fraction-inhalable fraction)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Czech Republic - Occupational Exposure Limits	
Local name	Bentonit
PEL (OEL TWA)	6 mg/m ³ (dust)
Remark	Prachy s možným fibrogenním účinkem.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Slovakia - Occupational Exposure Limits	
Local name	Bentonit

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bentonite (1302-78-9)	
NPHV (OEL TWA) [1]	6 mg/m ³ (total aerosol)
Cellulose (9004-34-6)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	5 mg/m ³ PAPIER (LEICHTSTAUB VON), EINATEMBARE FRAKTION
OEL C	10 mg/m ³ PAPIER (LEICHTSTAUB VON), EINATEMBARE FRAKTION
Belgium - Occupational Exposure Limits	
Local name	Cellulose # Cellulose
OEL TWA	10 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Croatia - Occupational Exposure Limits	
Local name	Celuloza
GVI (OEL TWA) [1]	10 mg/m ³ (total dust, inhalable particles) 4 mg/m ³ (respirable dust)
KGVI (OEL STEL)	20 mg/m ³ (total dust, inhalable particles)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	6 mg/m ³ Jiné prachy s dráždivým účinkem: prach papíru
Denmark - Occupational Exposure Limits	
OEL TWA [1]	3 mg/m ³ ORGANISK STØV, TOTAL
Estonia - Occupational Exposure Limits	
Local name	Tselluloos
OEL TWA	10 mg/m ³ peentolm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	5 mg/m ³ Selluloosapöly
HTP (OEL C)	10 mg/m ³ Selluloosapöly
France - Occupational Exposure Limits	
Local name	Cellulose (fibre de papier)
VME (OEL TWA)	10 mg/m ³
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Ireland - Occupational Exposure Limits	
Local name	Cellulose
OEL TWA [1]	10 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Cellulosa
OEL TWA	10 mg/m ³

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cellulose (9004-34-6)	
Latvia - Occupational Exposure Limits	
Local name	Celuloze
OEL TWA	2 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Lithuania - Occupational Exposure Limits	
Local name	Popieriaus Dulkės
IPRV (OEL TWA)	2 mg/m ³
Portugal - Occupational Exposure Limits	
Local name	Celulose
OEL TWA	10 mg/m ³
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Celuloză
OEL TWA	10 mg/m ³ (dust, inhalable fraction)
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Spain - Occupational Exposure Limits	
Local name	Celulosa
VLA-ED (OEL TWA) [1]	10 mg/m ³
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT
USA - ACGIH - Occupational Exposure Limits	
Local name	Cellulose
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr
Regulatory reference	ACGIH 2023
Disodium octaborate, tetrahydrate (12280-03-4)	
Slovenia - Occupational Exposure Limits	
OEL TWA	0.5 mg/m ³ (inhalable fraction)
OEL STEL	1 mg/m ³ (inhalable fraction)
OEL chemical category	Category 1B

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Wear a mask.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. EN 166

8.2.2.2. Skin protection

Hand protection:

Impermeable protective gloves. EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Where excessive dust may result, wear approved mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Light grey. Yellow-brown. light green.
Appearance	: Powder.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: 981 °C
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 8 – 10
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Strong acids.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Disodium octaborate, tetrahydrate (12280-03-4)

LD50 oral rat	2500 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 – 10
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 – 10
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This material has not been tested for environmental effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

ISOLATEK Type 300	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

ISOLATEK Type 300	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

ISOLATEK® Type 300

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Germany

- Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
WGK remark : Most stringent classification due to insufficient data.
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

- SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : Disodium octaborate, tetrahydrate is listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : Disodium octaborate, tetrahydrate is listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
1.3	Details of the supplier of the safety data sheet	Modified	
3.2	Mixtures	Modified	
8	Control parameters	Modified	
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008	Modified	
16	Other information	Modified	

Other information : None.

Full text of H- and EUH-statements:

EUH210	Safety data sheet available on request.
H360FD	May damage fertility. May damage the unborn child.
Repr. 1B	Reproductive toxicity, Category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.